

AMENDMENTS TO THE CLAIMS

LISTING OF CLAIMS

This listing of claims will replace all prior versions and listings of claims in the Application.

1. **(Currently Amended)** An integrated messaging system comprising:
at least two terminal devices associated with a common user comprising a first terminal device and a second terminal device, wherein at least the second terminal device is a wireless terminal device; and
a server capable of routing electronic messages;
a database that stores at least one electronic message addressed to the first terminal device; and
~~at least one scripting agent, wherein the scripting agent causes an that accesses the database, retrieves the electronic message that is addressed to the first terminal device stored on the database, and processes the electronic message for transmission to the second terminal device to be transmitted to the wireless terminal device upon a determination of a status of the common user at the first terminal device and wherein the scripting agent is adapted to configure the electronic message to appear in a format that corresponds to a user interface for an application that resides on a terminal associated with a recipient of the electronic message.~~
2. **(Currently Amended)** The integrated messaging system of claim 1 further comprising a physical monitoring device to monitor ~~the~~ a status of the common user.
3. **(Currently Amended)** The integrated messaging system of claim 1-2 wherein the status of the common user comprises a level of user activity at the first terminal device.

4. (Currently Amended) The integrated messaging system of claim 1 wherein the electronic message ~~delivered to the first terminal is transmitted to the wireless terminal device~~ is retrieved by the scripting agent after the a passage of a predetermined amount of time during which the electronic message has not been opened at the first terminal device.

5. (Currently Amended) The integrated messaging system of claim 1 wherein the scripting agent ~~causes-retrieves~~ the electronic message ~~to be transmitted to the wireless terminal device~~ upon a determination of substantially no user activity at the first terminal device.

6. (Currently Amended) The integrated messaging system of claim 1 wherein the scripting agent creates a summary of the electronic message ~~and causes the summary to be transmitted for transmission to the wireless-second~~ terminal device in accordance with a user profile.

7. (Currently Amended) The integrated messaging system of claim 6, wherein the scripting agent ~~provides-retrieves~~ the electronic message upon receiving a request for the electronic message from the wireless terminal device.

8. (Currently Amended) A method for managing communications between at least two terminal devices associated with a common user comprising a first terminal device and a second terminal device, wherein at least the second terminal device is a wireless terminal device, the communication management method comprising ~~the steps of:~~

receiving an electronic message addressed to the first terminal device; and
storing the electronic message in a database;
accessing the database with a scripting agent to retrieve the electronic message;
processing the electronic message with the scripting agent for transmission to
the second terminal device; and

transmitting the processed electronic message to the wireless second terminal device ~~upon a determination of a status of the common user at the first terminal device, wherein the electronic message is configured to appear in a format that corresponds to a user interface for an application that resides on a terminal associated with a recipient of the electronic message.~~

9. (Currently Amended) The communications management method of claim 8, further comprising monitoring the a status of the common user.

10. (Currently Amended) The communications management method of claim 89, wherein the status comprises a level of user activity at the first terminal device.

11. (Currently Amended) The communications management method of claim 8 further comprising:

~~transmitting-holding the electronic message to the wireless terminal device after the passage of in the database for a predetermined amount of time during which the electronic message has not been opened at the first terminal device; and~~

enabling the scripting agent to access the database after the predetermined amount of time to retrieve the electronic message.

12. (Currently Amended) The communications management method of claim 8 wherein ~~the transmitting step~~ accessing the database with the scripting agent comprises ~~transmitting~~ accessing the database with the scripting agent to retrieve the electronic message to the first terminal device upon a determination of substantially no user activity at the first terminal device.

13. (Currently Amended) The communication management method of claim 8 wherein ~~the transmitting step~~ processing the electronic message comprises:

~~transmitting-creating~~ a summary of the electronic message for transmission to the wireless terminal device in accordance with a user profile.

14. (Cancelled)

15. (Cancelled)

16. (Currently Amended) The integrated messaging system of claim 15-21 further comprising a physical monitoring device to monitor the a status of the common user.

17. (Currently Amended) The integrated messaging system of claim 15-16 wherein the status of the common user comprises a level of user activity.

18. (Currently Amended) The integrated messaging system of claim 15-21 wherein the electronic message delivered addressed to the first terminal device means is transmitted to the wireless terminal device means processed by the scripting agent after the a passage of a predetermined amount of time during which the electronic message has not been opened.

19. (Currently Amended) The integrated messaging system of claim 15-21 wherein the scripting agent means transmits processes the electronic message addressed to the wireless first terminal device means upon a determination of substantially no user activity at the first terminal device.

20. (Cancelled)

21. (New) An integrated messaging system comprising:
at least two terminal devices associated with a common user comprising a first terminal device and a second terminal device, wherein at least the second terminal device is a wireless terminal device;

a server that routes electronic messages and is capable of receiving at least one electronic message addressed to the first terminal device; and

a scripting agent that processes the electronic message addressed to the first terminal device for transmission to the second terminal device by creating a summary of the electronic message addressed to the first terminal device.

22. (New) The system of claim 21, wherein the scripting agent creates the summary of the electronic message addressed to the first terminal device based on a user profile.

23. (New) The system of claim 21, wherein the scripting agent creates the summary of the electronic message addressed to the first terminal device based on at least one of a prioritization of words based on predefined terms, a number of times words appear in the electronic message, and user defined rules.

24. (New) A method of managing communications between at least two terminal devices associated with a common user comprising a first terminal device and a second terminal device, wherein at least the second terminal device is a wireless terminal device, the communication management method comprising:

receiving an electronic message addressed to the first terminal device;

processing the electronic message with a scripting agent for transmission to the second terminal device by creating a summary of the electronic message; and

transmitting the summarized electronic message to the second terminal device.

25. (New) The method of claim 24, wherein the scripting agent creates the summary of the electronic message based on a user profile.

26. (New) The method of claim 24, wherein the scripting agent creates the summary the electronic message based on at least one of a prioritization of words derived from predefined terms, a number of times words appear in the electronic message, and user defined rules.